



དཔལ་ལྷན་འབྲུག་གཞུང་། དངུལ་རྩིས་ལྷན་ཁག།

Royal Government of Bhutan, Ministry of Finance

མགོ་གྲུབ་འཛིན་རྒྱུ་དང་གོང་འཕེལ་ཕྱི་ཚན། རྒྱལ་ཡོངས་གཞུང་ཆས་ལས་ཁུངས།

Procurement Management and Development Division



[Home](#)

[Dashboard](#)

[APP](#)

[Tender](#)

[Workflow](#)

[Committees](#)

[My Account](#)

[Help](#)

Monday, 21 November, 2022, 15:16:30
BST

Last Login : Monday, 21 November, 2022, 14:29:19
BST

Welcome, Dorji Wangchuk [Roles] | Logout

Price Comparison Report View

[Go Back](#)

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
1	Barbed wire gauge 12SWG double wired, double barbed 90 degrees angle, every 10cm, galvanized IS: 278/196, in roll of 30kgs weight tolerance +3kg	101.0	GAUTAM ELECTRONICS	3499.000
2	Chiseling Hammer 0.5kg TATA, Equivalent	109.0	GAUTAM ELECTRONICS	359.000
3	DI Bend 45 degree 150mm dia Standard quality, Approved brand	117.0	N.S TSHONGKHANG	7700.000
4	Die Bit 1 inch Ludhana, Equivalent	125.0	N.S TSHONGKHANG	440.000
5	End Plug 3 by 4 inch dia Kohli, UI, Unik, Mac, DRP, SHIP, JSI, Nidhi	133.0	N.S TSHONGKHANG	70.000
6	G I Elbow 50mm IS 1879, 1987 SQCA approved brands, heavy duty	141.0	GAMANA ENTERPRISE	389.000
7	GI Bend half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	149.0	N.S TSHONGKHANG	180.000
8	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	157.0	GAUTAM ELECTRONICS	2199.000
9	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	165.0	GAMANA ENTERPRISE	494.000
10	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	173.0	GAMANA ENTERPRISE	519.000
11	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	181.0	GAMANA ENTERPRISE	549.000
12	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	189.0	GAMANA ENTERPRISE	599.000
13	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	197.0	GAMANA ENTERPRISE	619.000
14	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 15mm dia	205.0	GAUTAM ELECTRONICS	159.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
15	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	213.0	GAUTAM ELECTRONICS	911.000
16	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	221.0	GAUTAM ELECTRONICS	999.000
17	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 20mm dia	229.0	GAUTAM ELECTRONICS	999.000
18	GI Pipe both end threaded, 180cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	237.0	GAUTAM ELECTRONICS	999.000
19	GI Pipe both end threaded, 195cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	245.0	GAUTAM ELECTRONICS	1122.000
20	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	253.0	GAUTAM ELECTRONICS	1033.000
21	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	261.0	GAUTAM ELECTRONICS	744.000
22	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	269.0	GAUTAM ELECTRONICS	1811.000
23	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	277.0	GAUTAM ELECTRONICS	1799.000
24	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	285.0	GAUTAM ELECTRONICS	845.000
25	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	293.0	GAUTAM ELECTRONICS	1899.000
26	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 20mm dia	301.0	KSL Wangdi Supplier	267.000
27	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	309.0	GAUTAM ELECTRONICS	256.000
28	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	317.0	GAUTAM ELECTRONICS	777.000
29	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	325.0	GAUTAM ELECTRONICS	278.000
30	90mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	94.0	N.S TSHONGKHANG	1500.000
31	Bench Vice 2inch to 3 inch Ludhana, Equivalent	102.0	GAUTAM ELECTRONICS	1499.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
32	Claw Hammer 0.5kg TATA, Equivalent	110.0	GAMANA ENTERPRISE	349.000
33	DI Bend 45 degree 80mm dia Standard quality, Approved brand	118.0	N.S TSHONGKHANG	5400.000
34	Die Bit 2 and half inch to 3 inch Ludhana, Equivalent	126.0	GAUTAM ELECTRONICS	739.000
35	Flange washer Standard quality, Approved brand	134.0	N.S TSHONGKHANG	4500.000
36	G I Elbow 75mm IS 1879, 1987 SQCA approved brands, heavy duty	142.0	N.S TSHONGKHANG	650.000
37	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 15mm dia	150.0	GAUTAM ELECTRONICS	444.000
38	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	158.0	GAUTAM ELECTRONICS	2699.000
39	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	166.0	GAUTAM ELECTRONICS	2699.000
40	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	174.0	GAUTAM ELECTRONICS	3299.000
41	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	182.0	GAUTAM ELECTRONICS	3799.000
42	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	190.0	GAUTAM ELECTRONICS	3999.000
43	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	198.0	GAUTAM ELECTRONICS	269.000
44	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 20mm dia	206.0	GAUTAM ELECTRONICS	239.000
45	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	214.0	GAUTAM ELECTRONICS	611.000
46	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	222.0	GAMANA ENTERPRISE	679.000
47	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 15mm dia	230.0	GAMANA ENTERPRISE	699.000
48	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	238.0	GAMANA ENTERPRISE	729.000
49	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	246.0	GAUTAM ELECTRONICS	999.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
50	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	254.0	GAMANA ENTERPRISE	829.000
51	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	262.0	GAUTAM ELECTRONICS	4999.000
52	GI Pipe both end threaded, 210cm length tolerance +1cm,-1cm, IS 1879: 1987a SQCA approved brands, 25mm dia	270.0	GAUTAM ELECTRONICS	1544.000
53	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	278.0	GAMANA ENTERPRISE	1049.000
54	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 15mm dia	286.0	GAMANA ENTERPRISE	114.000
55	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	294.0	GAMANA ENTERPRISE	809.000
56	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA heavy duty, approved brands, 15mm dia	302.0	GAMANA ENTERPRISE	129.000
57	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	310.0	GAMANA ENTERPRISE	149.000
58	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	318.0	GAMANA ENTERPRISE	169.000
59	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands ,15mm dia	326.0	GAMANA ENTERPRISE	189.000
60	90mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	97.0	GAUTAM ELECTRONICS	499.000
61	Brass Union 20mm x half inch SP 57, 1991 SQCA approved brands, heavy duty	105.0	GAMANA ENTERPRISE	549.000
62	Crowbar 32 x 1650mm TATA, Equivalent	113.0	N.S TSHONGKHANG	1250.000
63	DI Gasket washer 100 mm dia Standard quality, Approved brand	121.0	N.S TSHONGKHANG	900.000
64	Die Bit half inch to 1 inch Ludhana, Equivalent	129.0	KSL Wangdi Supplier	360.000
65	G I Elbow 20mm IS 1879, 1987 SQCA approved brands, heavy duty	137.0	N.S TSHONGKHANG	150.000
66	GI Bend 2 and half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	145.0	N.S TSHONGKHANG	600.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
67	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	153.0	GAUTAM ELECTRONICS	799.000
68	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	161.0	GAMANA ENTERPRISE	1479.000
69	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	169.0	GAMANA ENTERPRISE	1529.000
70	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40m dia	177.0	GAMANA ENTERPRISE	1584.000
71	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	185.0	GAMANA ENTERPRISE	1679.000
72	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	193.0	GAMANA ENTERPRISE	1739.000
73	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	201.0	GAMANA ENTERPRISE	239.000
74	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	209.0	GAUTAM ELECTRONICS	1899.000
75	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	217.0	GAUTAM ELECTRONICS	1999.000
76	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	225.0	GAUTAM ELECTRONICS	2999.000
77	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	233.0	GAUTAM ELECTRONICS	2299.000
78	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	241.0	GAUTAM ELECTRONICS	3099.000
79	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	249.0	GAMANA ENTERPRISE	3169.000
80	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	257.0	GAUTAM ELECTRONICS	209.000
81	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	265.0	GAUTAM ELECTRONICS	1276.000
82	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	273.0	GAUTAM ELECTRONICS	2899.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
83	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	281.0	GAUTAM ELECTRONICS	361.000
84	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	289.0	KSL Wangdi Supplier	3090.000
85	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	297.0	GAUTAM ELECTRONICS	777.000
86	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	305.0	GAMANA ENTERPRISE	529.000
87	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	313.0	GAMANA ENTERPRISE	639.000
88	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	321.0	GAUTAM ELECTRONICS	700.000
89	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	329.0	GAMANA ENTERPRISE	819.000
90	90mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	96.0	GAUTAM ELECTRONICS	2299.000
91	Blow Lamp, IS2594:1976 Ludhana, Equivalent	104.0	N.S TSHONGKHANG	1150.000
92	Crowbar 25 x 1650mm TATA, Equivalent	112.0	N.S TSHONGKHANG	990.000
93	DI double flange bend 80mm dia Standard quality, Approved brand	120.0	N.S TSHONGKHANG	8800.000
94	Die Bit 3 inch Ludhana, Equivalent	128.0	GAMANA ENTERPRISE	879.000
95	G I Elbow 15mm IS 1879, 1987 SQCA approved brands, heavy duty	136.0	GAMANA ENTERPRISE	39.000
96	GI Bend 1 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	144.0	N.S TSHONGKHANG	340.000
97	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	152.0	GAUTAM ELECTRONICS	699.000
98	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	160.0	GAUTAM ELECTRONICS	1799.000
99	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	168.0	GAMANA ENTERPRISE	1979.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
100	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	176.0	GAMANA ENTERPRISE	2099.000
101	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	184.0	GAMANA ENTERPRISE	2229.000
102	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	192.0	GAMANA ENTERPRISE	2329.000
103	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	200.0	GAMANA ENTERPRISE	189.000
104	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	208.0	GAUTAM ELECTRONICS	2699.000
105	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	216.0	GAUTAM ELECTRONICS	2999.000
106	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	224.0	GAUTAM ELECTRONICS	2299.000
107	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	232.0	GAUTAM ELECTRONICS	2699.000
108	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	240.0	GAUTAM ELECTRONICS	4499.000
109	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	248.0	GAUTAM ELECTRONICS	4399.000
110	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	256.0	GAMANA ENTERPRISE	109.000
111	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	264.0	GAUTAM ELECTRONICS	1023.000
112	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	272.0	GAUTAM ELECTRONICS	3866.000
113	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	280.0	GAMANA ENTERPRISE	179.000
114	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	288.0	GAUTAM ELECTRONICS	4278.000
115	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	296.0	GAUTAM ELECTRONICS	430.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
116	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	304.0	GAUTAM ELECTRONICS	1023.000
117	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	312.0	GAUTAM ELECTRONICS	1122.000
118	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	320.0	GAUTAM ELECTRONICS	999.000
119	90mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	95.0	GAUTAM ELECTRONICS	2299.000
120	Blade, hacksaw single side IS2594:1976 Ludhana, Equivalent	103.0	GAMANA ENTERPRISE	13.000
121	Core wip, coconut rope Strong and thick	111.0	GAMANA ENTERPRISE	139.000
122	DI Double flange bend 100mm dia Standard quality, Approved brand	119.0	N.S TSHONGKHANG	7500.000
123	Die Bit 2 inch Ludhana, Equivalent	127.0	GAMANA ENTERPRISE	649.000
124	G I Chain Link Mesh 4mm 8swg x 50mm	135.0	N.S TSHONGKHANG	150.000
125	GI Bend 1 and half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	143.0	GAMANA ENTERPRISE	97.000
126	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	151.0	GAUTAM ELECTRONICS	589.000
127	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	159.0	GAUTAM ELECTRONICS	1999.000
128	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	167.0	GAUTAM ELECTRONICS	2670.000
129	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	175.0	GAUTAM ELECTRONICS	3289.000
130	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	183.0	GAUTAM ELECTRONICS	3699.000
131	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	191.0	GAUTAM ELECTRONICS	3140.000
132	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	199.0	GAUTAM ELECTRONICS	349.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
133	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	207.0	GAUTAM ELECTRONICS	4155.000
134	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	215.0	GAUTAM ELECTRONICS	4199.000
135	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	223.0	GAUTAM ELECTRONICS	4599.000
136	GI Pipe both end threaded, 180cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	231.0	GAUTAM ELECTRONICS	4399.000
137	GI Pipe both end threaded, 195cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	239.0	GAMANA ENTERPRISE	829.000
138	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	247.0	GAUTAM ELECTRONICS	4599.000
139	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	255.0	GAUTAM ELECTRONICS	140.000
140	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 15mm dia	263.0	GAMANA ENTERPRISE	839.000
141	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	271.0	GAUTAM ELECTRONICS	5399.000
142	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	279.0	GAUTAM ELECTRONICS	175.000
143	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	287.0	GAUTAM ELECTRONICS	6045.000
144	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	295.0	GAUTAM ELECTRONICS	322.000
145	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	303.0	GAUTAM ELECTRONICS	1199.000
146	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	311.0	GAUTAM ELECTRONICS	1345.000
147	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	319.0	GAUTAM ELECTRONICS	1388.000
148	Air release valve half inch SQCA approved brands	99.0	GAMANA ENTERPRISE	1649.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
149	Brass Union 50mm 11 by 2 inch SP 57, 1991 SQCA approved brands, heavy duty	107.0	GAMANA ENTERPRISE	1439.000
150	D I Socket 100mm dia Standard quality, Approved brand	115.0	N.S TSHONGKHANG	3600.000
151	DI Socket 80mm dia Standard quality, Approved brand	123.0	N.S TSHONGKHANG	3900.000
152	DSF Hammer 3kg TATA, Equivalent	131.0	GAUTAM ELECTRONICS	699.000
153	G I Elbow 32mm IS 1879, 1987 SQCA approved brands, heavy duty	139.0	GAUTAM ELECTRONICS	270.000
154	GI Bend 3 by 4 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	147.0	N.S TSHONGKHANG	350.000
155	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	155.0	GAUTAM ELECTRONICS	1499.000
156	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	163.0	GAMANA ENTERPRISE	939.000
157	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	171.0	GAMANA ENTERPRISE	994.000
158	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	179.0	GAMANA ENTERPRISE	1029.000
159	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	187.0	GAMANA ENTERPRISE	1099.000
160	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	195.0	GAMANA ENTERPRISE	1149.000
161	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brand, 15mm dia	203.0	GAMANA ENTERPRISE	69.000
162	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	211.0	GAUTAM ELECTRONICS	1244.000
163	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	219.0	GAUTAM ELECTRONICS	1211.000
164	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 32mm dia	227.0	GAUTAM ELECTRONICS	1299.000
165	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	235.0	GAUTAM ELECTRONICS	1422.000
166	GI Pipe both end threaded, 195cm length toleranc +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	243.0	GAUTAM ELECTRONICS	1577.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
167	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	251.0	GAUTAM ELECTRONICS	1510.000
168	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	259.0	GAMANA ENTERPRISE	239.000
169	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	267.0	GAUTAM ELECTRONICS	3746.000
170	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	275.0	GAUTAM ELECTRONICS	2099.000
171	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	283.0	GAMANA ENTERPRISE	349.000
172	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	291.0	GAUTAM ELECTRONICS	2199.000
173	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 32mm dia	299.0	GAUTAM ELECTRONICS	333.000
174	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	307.0	GAUTAM ELECTRONICS	401.000
175	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	315.0	GAUTAM ELECTRONICS	899.000
176	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	323.0	GAUTAM ELECTRONICS	433.000
177	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	331.0	GAUTAM ELECTRONICS	769.000
178	Axe 1.5kg TATA, Equivalent	100.0	GAMANA ENTERPRISE	649.000
179	Brass Union 63mm 2 inch SP 57, 1991 SQCA approved brands, heavy duty	108.0	GAMANA ENTERPRISE	1789.000
180	DI Bend 45 degree 100mm dia Standard quality, Approved brand	116.0	N.S TSHONGKHANG	5500.000
181	Die Bit 1 and half inch to 2 inch Ludhana, Equivalent	124.0	GAUTAM ELECTRONICS	460.000
182	End Plug 15mm dia Kohli, UI, Unik, Mac, DRP, SHIP, JSI, Nidhi	132.0	GAMANA ENTERPRISE	23.000
183	G I Elbow 40mm IS 1879, 1987 SQCA approved brands, heavy duty	140.0	GAMANA ENTERPRISE	207.000
184	GI Bend 3 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	148.0	GAUTAM ELECTRONICS	544.000
185	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	156.0	GAUTAM ELECTRONICS	1699.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
186	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	164.0	GAUTAM ELECTRONICS	699.000
187	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	172.0	GAUTAM ELECTRONICS	1390.000
188	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	180.0	GAUTAM ELECTRONICS	1430.000
189	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	188.0	GAUTAM ELECTRONICS	1211.000
190	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	196.0	GAUTAM ELECTRONICS	1340.000
191	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	204.0	GAUTAM ELECTRONICS	645.000
192	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	212.0	GAUTAM ELECTRONICS	911.000
193	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	220.0	GAUTAM ELECTRONICS	1023.000
194	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 25mm dia	228.0	GAUTAM ELECTRONICS	1099.000
195	GI Pipe both end threaded, 180cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	236.0	GAUTAM ELECTRONICS	1233.000
196	GI Pipe both end threaded, 195cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	244.0	GAUTAM ELECTRONICS	1355.000
197	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	252.0	N.S TSHONGKHANG	9.000
198	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	260.0	GAMANA ENTERPRISE	569.000
199	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	268.0	GAUTAM ELECTRONICS	2999.000
200	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	276.0	GAUTAM ELECTRONICS	1899.000
201	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	284.0	GAUTAM ELECTRONICS	720.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
202	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	292.0	GAUTAM ELECTRONICS	2213.000
203	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 25mm dia	300.0	GAMANA ENTERPRISE	229.000
204	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	308.0	GAMANA ENTERPRISE	299.000
205	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	316.0	GAMANA ENTERPRISE	324.000
206	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	324.0	GAUTAM ELECTRONICS	344.000
207	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	332.0	GAMANA ENTERPRISE	394.000
208	90mm x 3 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	98.0	GAUTAM ELECTRONICS	1099.000
209	Brass Union 32mm x 1 inch SP 57, 1991 SQCA approved brands, heavy duty	106.0	GAMANA ENTERPRISE	849.000
210	Crowbar 50mm TATA, Equivalent	114.0	N.S TSHONGKHANG	1800.000
211	DI Gasket washer 80 mm dia Standard quality, Approved brand	122.0	N.S TSHONGKHANG	900.000
212	DSF Hammer 5kg TATA, Equivalent	130.0	N.S TSHONGKHANG	1200.000
213	G I Elbow 25mm IS 1879, 1987 SQCA approved brands, heavy duty	138.0	GAMANA ENTERPRISE	97.000
214	GI Bend 2 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	146.0	N.S TSHONGKHANG	600.000
215	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	154.0	GAUTAM ELECTRONICS	1099.000
216	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	162.0	KSL Wangdi Supplier	1300.000
217	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	170.0	GAUTAM ELECTRONICS	1567.000
218	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	178.0	GAUTAM ELECTRONICS	2199.000
219	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	186.0	GAUTAM ELECTRONICS	2099.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
220	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	194.0	GAUTAM ELECTRONICS	1699.000
221	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	202.0	GAMANA ENTERPRISE	569.000
222	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	210.0	GAUTAM ELECTRONICS	1401.000
223	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	218.0	GAUTAM ELECTRONICS	1599.000
224	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 40mm dia	226.0	GAUTAM ELECTRONICS	1599.000
225	GI Pipe both end threaded, 180cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	234.0	GAUTAM ELECTRONICS	1799.000
226	GI Pipe both end threaded, 195cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	242.0	GAUTAM ELECTRONICS	2099.000
227	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	250.0	GAUTAM ELECTRONICS	1790.000
228	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	258.0	GAMANA ENTERPRISE	189.000
229	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	266.0	GAUTAM ELECTRONICS	1876.000
230	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	274.0	GAUTAM ELECTRONICS	2299.000
231	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	282.0	GAMANA ENTERPRISE	229.000
232	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	290.0	GAUTAM ELECTRONICS	2288.000
233	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	298.0	GAUTAM ELECTRONICS	1166.000
234	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	306.0	GAMANA ENTERPRISE	429.000
235	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	314.0	GAMANA ENTERPRISE	484.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
236	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	322.0	GAUTAM ELECTRONICS	469.000
237	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	330.0	GAMANA ENTERPRISE	784.000
238	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	337.0	GAMANA ENTERPRISE	1049.000
239	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 32mm dia	348.0	GAUTAM ELECTRONICS	549.000
240	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	356.0	GAUTAM ELECTRONICS	856.000
241	HDPE Water Storage Tank 1000L Rabten, Druk	364.0	GAUTAM ELECTRONICS	8599.000
242	M. Seal Standard quality	372.0	N.S TSHONGKHANG	45.000
243	Nails 4 inch Galvanized wire nails sharpened rust free	380.0	GAMANA ENTERPRISE	84.000
244	Pipe Cutter Blade half inch to 1 inch Ludhana, Equivalent	388.0	N.S TSHONGKHANG	79.000
245	Pressure reducing valve 1 and half inch standard quality	396.0	N.S TSHONGKHANG	5500.000
246	RCC Collar Np 2 class, 1200mm dia	404.0	GAUTAM ELECTRONICS	2100.000
247	RCC Hume Pipes Np 2 class, 100mm dia	412.0	GAUTAM ELECTRONICS	2999.000
248	RCC Hume Pipes Np 2 class, 750mm dia	420.0	GAUTAM ELECTRONICS	12344.000
249	Spade 1.4kg TATA, Equivalent	428.0	GAUTAM ELECTRONICS	299.000
250	Wire Mesh Chicken 23SWG, hexagonal 15mm, 11 by 2 inch full twist double string at side, width 1 metre in rolls of 25m	436.0	GAMANA ENTERPRISE	179.000
251	15mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	7.0	GAMANA ENTERPRISE	549.000
252	15mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	15.0	GAMANA ENTERPRISE	109.000
253	20mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	23.0	N.S TSHONGKHANG	1600.000
254	25 x 25 x 3 by 4mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	31.0	N.S TSHONGKHANG	190.000
255	25mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	39.0	GAMANA ENTERPRISE	249.000
256	32 x 25mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	47.0	GAUTAM ELECTRONICS	211.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
257	32mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	55.0	KSL Wangdi Supplier	78.000
258	40mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	63.0	GAMANA ENTERPRISE	464.000
259	50mm dia G I Nipple Hexagonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	71.0	N.S TSHONGKHANG	690.000
260	65mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	79.0	N.S TSHONGKHANG	700.000
261	75 x 75 x 15mm G I Tee Unequal IS 1879, 1992 SQCA approved brands, Medium Duty	87.0	GAUTAM ELECTRONICS	799.000
262	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	328.0	GAUTAM ELECTRONICS	1144.000
263	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA heavy duty	336.0	GAUTAM ELECTRONICS	1199.000
264	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 40mm dia	347.0	GAUTAM ELECTRONICS	633.000
265	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	355.0	GAMANA ENTERPRISE	879.000
266	Half round file 5 inch TATA, Equivalent	363.0	N.S TSHONGKHANG	134.000
267	Lock and Key Bravo, equivalent	371.0	GAMANA ENTERPRISE	349.000
268	Mortar Pan, standard TATA, Equivalent	379.0	GAMANA ENTERPRISE	249.000
269	Pipe Cutter Blade 2 and half inch to 3 inch Ludhana, Equivalent	387.0	N.S TSHONGKHANG	110.000
270	Prefab Manhole cover and slab as per PHE drawing and Specifications, Medium Duty	395.0	N.S TSHONGKHANG	2500.000
271	RCC Collar Np 2 class, 1050mm dia	403.0	GAUTAM ELECTRONICS	1799.000
272	RCC Collar Np 2 class, 900mm dia	411.0	GAUTAM ELECTRONICS	1899.000
273	RCC Hume Pipes Np 2 class, 600mm dia	419.0	GAUTAM ELECTRONICS	9642.000
274	Sly Wrench Taparia, equivalent	427.0	GAMANA ENTERPRISE	449.000
275	white Plastic Sheet 100GSM Standard quality	435.0	GAMANA ENTERPRISE	79.000
276	110mm x 4 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	6.0	GAUTAM ELECTRONICS	1120.000
277	15mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	14.0	N.S TSHONGKHANG	75.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
278	20mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	22.0	GAUTAM ELECTRONICS	699.000
279	25 x 25 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	30.0	GAMANA ENTERPRISE	129.000
280	25mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	38.0	GAMANA ENTERPRISE	129.000
281	32 mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	46.0	N.S TSHONGKHANG	850.000
282	32mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	54.0	N.S TSHONGKHANG	339.000
283	40mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	62.0	GAMANA ENTERPRISE	299.000
284	50 x 50 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	70.0	GAMANA ENTERPRISE	494.000
285	65 x 65 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	78.0	N.S TSHONGKHANG	730.000
286	75 x 50mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	86.0	GAMANA ENTERPRISE	54.000
287	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	338.0	GAMANA ENTERPRISE	874.000
288	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 25mm dia	349.0	GAUTAM ELECTRONICS	411.000
289	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	357.0	GAMANA ENTERPRISE	549.000
290	HDPE Water Storage Tank 2000L Rabten, Druk	365.0	GAUTAM ELECTRONICS	17100.000
291	Mason Hammer 0.5kg TATA, Equivalent	373.0	N.S TSHONGKHANG	330.000
292	Nails U, SWG H=35mm, W-10mm sharpened Galvanized wire nails sharpened	381.0	GAUTAM ELECTRONICS	89.000
293	Pipe Wrench 14 inch Standard Quality	389.0	GAMANA ENTERPRISE	949.000
294	Pressure reducing valve 1 inch standard quality	397.0	N.S TSHONGKHANG	3500.000
295	RCC Collar Np 2 class, 150mm dia	405.0	GAUTAM ELECTRONICS	399.000
296	RCC Hume Pipes Np 2 class, 1050mm dia	413.0	GAMANA ENTERPRISE	29499.000
297	RCC Hume Pipes Np 2 class, 900mm dia	421.0	GAUTAM ELECTRONICS	17999.000
298	Taflon Cover standard quality	429.0	KSL Wangdi Supplier	349.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
299	Wire Mesh full twist double string at side 2mm width 1 metre	437.0	GAMANA ENTERPRISE	289.000
300	15mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	8.0	GAUTAM ELECTRONICS	399.000
301	15mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	16.0	GAUTAM ELECTRONICS	221.000
302	20mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	24.0	N.S TSHONGKHANG	85.000
303	25mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	32.0	GAMANA ENTERPRISE	1349.000
304	25mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	40.0	GAUTAM ELECTRONICS	379.000
305	32 x 32 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	48.0	N.S TSHONGKHANG	350.000
306	40 x 32mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	56.0	N.S TSHONGKHANG	410.000
307	40mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	64.0	GAMANA ENTERPRISE	464.000
308	50mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	72.0	N.S TSHONGKHANG	500.000
309	65mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	80.0	N.S TSHONGKHANG	750.000
310	75mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	88.0	GAUTAM ELECTRONICS	811.000
311	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	340.0	GAMANA ENTERPRISE	449.000
312	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 15mm dia	351.0	GAMANA ENTERPRISE	299.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
313	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	359.0	GAMANA ENTERPRISE	279.000
314	HDPE Water Storage Tank 500L Rabten, Druk	367.0	GAMANA ENTERPRISE	4799.000
315	Mason trowel 2 inch Standard Quality	375.0	N.S TSHONGKHANG	55.000
316	Pickaxe 3kg TATA, Equivalent	383.0	GAMANA ENTERPRISE	549.000
317	Pipe Wrench 36 inch Standard Quality	391.0	GAUTAM ELECTRONICS	1650.000
318	Quick Cement 1kg pack Np 2 class, 100mm dia	399.0	GAUTAM ELECTRONICS	444.000
319	RCC Collar Np 2 class, 300mm dia	407.0	GAUTAM ELECTRONICS	829.000
320	RCC Hume Pipes Np 2 class, 150mm dia	415.0	GAUTAM ELECTRONICS	3399.000
321	Rebar 8mm, TATA steel bars, IS:1786 or 1985 Grade FE415, TOR	423.0	GAUTAM ELECTRONICS	89.000
322	Tool Box with tools inside Standard quality	431.0	GAUTAM ELECTRONICS	1999.000
323	Wire, Plain guage 4mm 8SWG, with light galvanized coating In rolls of 40 kgs, weight tolerance of +3kg	439.0	GAUTAM ELECTRONICS	95.000
324	100 x 75mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	2.0	GAUTAM ELECTRONICS	789.000
325	15mm dia Brass Tap, Heavy duty, class I 1.5MPa IS778-84 SQCA approved brands	10.0	GAUTAM ELECTRONICS	419.000
326	15mm dia Tap stand regulating valve set with key Heavy duty class I, 1.5MPa IS778-84 SQCA approved brands	18.0	GAUTAM ELECTRONICS	401.000
327	20mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	26.0	GAMANA ENTERPRISE	159.000
328	25mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	34.0	N.S TSHONGKHANG	2500.000
329	3 by 4 inch dia Brass stop cock, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands	42.0	GAUTAM ELECTRONICS	999.000
330	32mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	50.0	GAUTAM ELECTRONICS	1590.000
331	40mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	58.0	GAMANA ENTERPRISE	2449.000
332	40mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	66.0	KSL Wangdi Supplier	90.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
333	50mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	74.0	GAMANA ENTERPRISE	749.000
334	65mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	82.0	N.S TSHONGKHANG	699.000
335	75mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	90.0	GAMANA ENTERPRISE	919.000
336	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	327.0	GAUTAM ELECTRONICS	1399.000
337	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1987 approved brands, 100mm dia	335.0	GAUTAM ELECTRONICS	1821.000
338	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 70mm dia	343.0	GAUTAM ELECTRONICS	1099.000
339	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	346.0	GAUTAM ELECTRONICS	1699.000
340	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	354.0	GAMANA ENTERPRISE	1129.000
341	half inch valve box key with 3 points sample available at RWSS store, Dagana or Phuentsholing	362.0	GAMANA ENTERPRISE	2499.000
342	Hussion Jute Strong and thick	370.0	GAMANA ENTERPRISE	349.000
343	Mason trowel 6 inch Standard Quality	378.0	N.S TSHONGKHANG	129.000
344	Pipe Cutter Blade 1 and half inch to 2 inch Ludhana, Equivalent	386.0	N.S TSHONGKHANG	75.000
345	Plier Taparia, equivalent	394.0	GAMANA ENTERPRISE	279.000
346	RCC Collar Np 2 class, 100mm dia	402.0	GAUTAM ELECTRONICS	310.000
347	RCC Collar Np 2 class, 750mm dia	410.0	GAUTAM ELECTRONICS	1399.000
348	RCC Hume Pipes Np 2 class, 450mm dia	418.0	GAUTAM ELECTRONICS	8999.000
349	Sickle large TATA, Equivalent	426.0	GAUTAM ELECTRONICS	239.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
350	Wheel Grease in half kg pot standard quality	434.0	GAUTAM ELECTRONICS	400.000
351	100mm dia Valve box with end cap GI Pipe of medium duty, Burrs removed, cut edges smoothened with file or grinderm GI thread is clean smooth and greased Endcap and pipe screwed together as per attached drawing or sample available at RWSS store, Dagana or Phuenstsholing	5.0	GAUTAM ELECTRONICS	3700.000
352	15mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	13.0	GAMANA ENTERPRISE	23.000
353	20 x 20 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	21.0	GAMANA ENTERPRISE	97.000
354	25 x 20mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	29.0	GAMANA ENTERPRISE	83.000
355	25mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	37.0	N.S TSHONGKHANG	93.000
356	3 by 4 inch dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	45.0	GAUTAM ELECTRONICS	379.000
357	32mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	53.0	GAUTAM ELECTRONICS	344.000
358	40mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	61.0	KSL Wangdi Supplier	145.000
359	50 x 40mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	69.0	GAMANA ENTERPRISE	234.000
360	63mm x 2 inch Flange only IS4984 or 87 SQCA approved brands, heavy duty	77.0	N.S TSHONGKHANG	890.000
361	75 mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	85.0	N.S TSHONGKHANG	799.000
362	90mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	93.0	GAUTAM ELECTRONICS	378.000
363	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	334.0	GAMANA ENTERPRISE	229.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
364	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	342.0	GAMANA ENTERPRISE	279.000
365	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	345.0	GAUTAM ELECTRONICS	1199.000
366	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	353.0	GAUTAM ELECTRONICS	1455.000
367	Hacksaw Blade, Double, IS2594:1976 Ludhana, Equivalent	361.0	GAMANA ENTERPRISE	17.000
368	Heating Plate 6 inch Standard Quality	369.0	GAUTAM ELECTRONICS	1789.000
369	Mason trowel 3 inch Standard Quality	377.0	GAMANA ENTERPRISE	79.000
370	Pipe Bender Machine half inch to 2 inch Ludhana, Equivalent	385.0	KSL Wangdi Supplier	5900.000
371	Plastic Tarpauline 18 x 24 feet Standard quality	393.0	GAUTAM ELECTRONICS	1429.000
372	Ratchet Die Set, die bit half inch Ludhana, Equivalent	401.0	GAMANA ENTERPRISE	3499.000
373	RCC Collar Np 2 class, 600mm dia	409.0	GAUTAM ELECTRONICS	1099.000
374	RCC Hume Pipes Np 2 class, 300mm dia	417.0	GAUTAM ELECTRONICS	5799.000
375	Shovel, Square nose, 1.8kg TATA, Equivalent	425.0	GAUTAM ELECTRONICS	419.000
376	Water Proof Tarpauline 18 x 24 feet Standard quality	433.0	GAUTAM ELECTRONICS	1199.000
377	100mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	4.0	GAUTAM ELECTRONICS	229.000
378	15mm dia G I Nipple Hexagonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	12.0	GAMANA ENTERPRISE	49.000
379	20 x 15mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	20.0	GAMANA ENTERPRISE	59.000
380	20mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	28.0	GAMANA ENTERPRISE	69.000
381	25mm dia G I Nipple Hexagonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	36.0	N.S TSHONGKHANG	99.000
382	3 by 4 inch dia G I Nipple Hexagonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	44.0	N.S TSHONGKHANG	97.000
383	32mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	52.0	N.S TSHONGKHANG	350.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
384	40mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	60.0	UGYEN WANGCHUK TSHONGKHANG	120.000
385	50 mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	68.0	GAMANA ENTERPRISE	599.000
386	50mm x 11 by 2 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	76.0	N.S TSHONGKHANG	760.000
387	75 mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	84.0	N.S TSHONGKHANG	250.000
388	75mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	92.0	N.S TSHONGKHANG	440.000
389	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	339.0	GAUTAM ELECTRONICS	729.000
390	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 20mm dia	350.0	GAUTAM ELECTRONICS	344.000
391	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	358.0	GAUTAM ELECTRONICS	444.000
392	HDPE Water Storage Tank 3000L Rabten, Druk	366.0	GAUTAM ELECTRONICS	31998.000
393	Mason Thread, ball TATA, Equivalent	374.0	N.S TSHONGKHANG	55.000
394	Pickaxe 2.5kg TATA, Equivalent	382.0	GAMANA ENTERPRISE	389.000
395	Pipe Wrench 18 inch Standard Quality	390.0	GAMANA ENTERPRISE	1199.000
396	Pressure reducing valve half inch standard quality	398.0	N.S TSHONGKHANG	3400.000
397	RCC Collar Np 2 class, 225mm dia	406.0	GAUTAM ELECTRONICS	549.000
398	RCC Hume Pipes Np 2 class, 1200mm dia	414.0	GAMANA ENTERPRISE	38499.000
399	Rebar 10mm, TATA steel bars, IS:1786 or 1985 Grade FE415, TOR	422.0	GAUTAM ELECTRONICS	89.000
400	Thermochrome standard quality	430.0	KSL Wangdi Supplier	379.000
401	Wire, GI binding gauge 22 SWG in roll of 1kg standard quality	438.0	GAUTAM ELECTRONICS	92.000
402	100 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	1.0	N.S TSHONGKHANG	9000.000
403	15mm dia Brass stop cock, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands	9.0	GAUTAM ELECTRONICS	399.000
404	15mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	17.0	GAMANA ENTERPRISE	34.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
405	20mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	25.0	GAMANA ENTERPRISE	97.000
406	25mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	33.0	GAUTAM ELECTRONICS	1080.000
407	25mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	41.0	GAMANA ENTERPRISE	83.000
408	32mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	49.0	GAUTAM ELECTRONICS	3499.000
409	40 x 40 x 15mm dia G I Tee's Unequal IS 1879:1992 SQCA approved brands, Medium Duty	57.0	GAMANA ENTERPRISE	299.000
410	40mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	65.0	GAMANA ENTERPRISE	699.000
411	50mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	73.0	GAMANA ENTERPRISE	494.000
412	65mm dia G I Unions IS1879:1992 SQCA approved brands, Medium Duty	81.0	N.S TSHONGKHANG	809.000
413	75mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	89.0	N.S TSHONGKHANG	1150.000
414	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	333.0	GAUTAM ELECTRONICS	436.000
415	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	341.0	GAUTAM ELECTRONICS	410.000
416	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	344.0	GAUTAM ELECTRONICS	1199.000
417	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	352.0	GAUTAM ELECTRONICS	1799.000
418	Hacksaw Frame Ludhana, Equivalent	360.0	GAMANA ENTERPRISE	249.000
419	Heating Plate 4 inch Standard Quality	368.0	N.S TSHONGKHANG	1300.000
420	Mason trowel 3 inch to 6 inch TATA, Equivalent	376.0	N.S TSHONGKHANG	99.000
421	Pipe Bender Machine 2 and half inch to 3 inch Ludhana, Equivalent	384.0	KSL Wangdi Supplier	13500.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
422	Plain Hessian Jute sheet, 7.5 Oz width 90cm, in roll of 30 meter. Sample available at RWSS Store, Dagana or Phuentsholing	392.0	GAMANA ENTERPRISE	89.000
423	Ratchet Die set half inch to 1 inch Ludhana, Equivalent	400.0	GAMANA ENTERPRISE	3499.000
424	RCC Collar Np 2 class, 450mm dia	408.0	GAUTAM ELECTRONICS	999.000
425	RCC Hume Pipes Np 2 class, 225mm dia	416.0	GAUTAM ELECTRONICS	4799.000
426	Shovel, Round nose, 1.6kg TATA, Equivalent	424.0	GAUTAM ELECTRONICS	419.000
427	Triangular File 5 inch TATA, Equivalent	432.0	N.S TSHONGKHANG	150.000
428	Wooden flat file Ludhana, Equivalent	440.0	N.S TSHONGKHANG	6464.000
429	100mm dia G I End cap with 16mm nut welded IS 1879, 1987 SQCA approved brands, heavy duty	3.0	GAUTAM ELECTRONICS	1420.000
430	15mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	11.0	N.S TSHONGKHANG	1880.000
431	20 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	19.0	GAMANA ENTERPRISE	749.000
432	20mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	27.0	GAUTAM ELECTRONICS	321.000
433	25mm dia G I Nipple Hexagonal length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	35.0	N.S TSHONGKHANG	97.000
434	3 by 4 inch dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	43.0	N.S TSHONGKHANG	2199.000
435	32mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	51.0	GAUTAM ELECTRONICS	4399.000
436	40mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	59.0	GAMANA ENTERPRISE	3949.000

Sl.	Item Name & Description	Item No.	Winner	Quoted Amount (In Nu.)
437	50 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	67.0	GAMANA ENTERPRISE	2449.000
438	50mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	75.0	GAMANA ENTERPRISE	234.000
439	75 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	83.0	N.S TSHONGKHANG	5890.000
440	75mm dia GI Pipe, Medium duty IS1239 or 90 long longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	91.0	GAMANA ENTERPRISE	919.000

[Home](#) | [About e-GP](#) | [Contact Us](#) | [Terms and Conditions](#) | [e-Learning](#)



Version: 3.1.17

Procurement Management and Development Division (PMDD), Department of Procurement and Properties, Ministry of Finance, Royal Government of Bhutan
Designed & Developed by **Dohatec New Media**, Bangladesh.